

Leave your gas detection to the experts

Detector

and your environment is safe



**SCAN
20**

Reliable and secure
gas detection controller


SCAN20

SCAN20 Series gas detection controllers

Also suitable for use in smaller spaces, the gas detection controller meets the requirements for even the toughest conditions.

*SCAN20 does
the monitoring
for you!*

- Easy-to-read display
- Easily programmable
- Integrated sound and light alarms
- Quick and easy installation
- Three programmable alarm levels
- Programmable relays



Technical specifications

- ABS enclosure
- Easy-to-read display
- LED status indicators
- Programmable for each
- input channel 3 alarm levels

Operating voltage:

- 110-230 VAC 50-60Hz
- 24 VDC (20-28 VDC)

Inputs, 1-4 pcs

- 4-20mA

Outputs

- 2 current signals 4-20 mA

Remote alarms

- SMS message to mobile phone

User interface languages:

- Finnish, English

Environmental conditions

- Operating and storage temperature: -10 - +50 °C

Ambient humidity:

- non-condensing 10-90% RH
- Air pressure: normal air pressure

Enclosure

- Installation: wall-mount
- Material: ABS-polymer
- Colour: RAL 7035 (grey)
- Ingress protection rating: IP 66
- Dimensions: 259 mm x 237 mm x 97 mm (width x height x depth)
- Weight: 1550g

Standards:

- 2014/35/EU
- 2014/30/EU
- CE
- ROHS

**SCAN
22**
2-channel



**SCAN
24**
4-channel



Buzzer

Display

SMS alarms

1-4 gas detectors

4-20 mA

7 relays

4-20 mA output

Complementary products



See all accessories:
detector.fi/products

Carefree safety

Detector

Detector Oy
Telekatu 8, 20360 Turku
Tel: +358 (0)207 756 480
detector@detector.fi
www.detector.fi



reliable
partner

